

Notes

1. This drawing is subject to copyright and must not be reproduced, stored or transmitted in any form without prior permission from Mason Clark Associates.
2. This drawing is not to be scaled. All dimensions are to be checked on site by the contractor. Any discrepancies are to be notified to Mason Clark Associates. Obtain instructions prior to works commencing.
3. This drawing is to be read in conjunction with all the relevant contract drawings and specifications.
4. All dimensions are in millimetres and all levels are in metres AOD unless noted otherwise.
5. All work shall be carried out in accordance with Local Authority, Statutory Authority and Health & Safety Regulations.
6. Mason Clark Associates are not responsible for determining the appropriate fire period, fire boundary conditions or the associated design of fire protection or inherent fire resistance to any elements of structure including all frames, posts, beams, joists, roof members and secondary structural elements such as inlets. Refer to the Architect or Project Manager for this information.

KEY:

- Exceedance route
- Existing surface water flow
- Site Boundary
- S278 Works
- Direction of flow of surface water
- Fence Line

Notes:



1. All works to be constructed in accordance with the Specification for Highway Works unless otherwise noted.
2. Drainage proposal is to infiltrate surface water into the ground.
3. A soil infiltration rate of 3.5 x 10⁻⁴ m/s will be adopted as per the soakaway test conducted on 12 August 2020 (Refer to the Flood Risk Assessment Report approved as part of planning with reference F42021566).
4. Soakaway tests should be carried out in accordance with BRE395 before any works are done to confirm the soil infiltration rates.

NOTE:
ELEVATIONS SHOWN ARE RELATIVE TO TOPOGRAPHICAL SURVEY PROVIDED BY PRODRAR. THEY MUST BE CHECKED BY CONTRACTOR BEFORE ANY WORKS ARE COMMENCED. REPORT TO THE ENGINEER ANY DISCREPANCIES

P2	Preliminary Issue	NP	21.06.24
P1	Preliminary Issue	NP	29.04.24
Rev	Details	By	Date



Client:	North Lincolnshire Council		
Project:	Broughton MUGA, Discharge of Planning Conditions		
Title:	Proposed Drainage GA		
Drawn:	MKN	Checked:	NP
Date:	Apr 24		
Scale:	As shown		
Drawing No:	22165-H-DR-201	Rev:	P2



INFORMATION ONLY FOR REVIEW AND APPROVAL WITH NORTH LINCOLNSHIRE COUNCIL